

WEST Search History for Application 10751336

Creation Date: 2009080312:23

Prior Art Searches

Query	DB	Op.	Plur.	Thes.	Date
timer with ((monitor\$3 or track\$3) near (queue or buffer))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		08-03-2009
(timer with ((monitor\$3 or track\$3) near (queue or buffer))) and hook\$3	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		08-03-2009
hook\$3 with timer	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		08-03-2009
((monitor\$3 or track\$3) near (queue or buffer)) with message and (hook\$3 with timer)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		08-03-2009
((monitor\$3 or track\$3) near (queue or buffer)) and (hook\$3 with timer)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		08-03-2009
hook\$ with (monitor\$3 or track\$3) with message near (queue or buffer)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		08-03-2009
hook\$ with (monitor\$3 or track\$3) with (queue or buffer)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		08-03-2009
(hook\$ with (monitor\$3 or track\$3) with (queue or buffer)) and timer	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		08-03-2009
test near automation and hook\$ with (queue or buffer)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		08-03-2009

test near automation and hook\$	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		08-03-2009
test near (ui or gui or graphical near interface or windows) and hook\$3	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		08-03-2009
(implicit\$2 or synchroniz\$5) with automation	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		08-03-2009
((implicit\$2 or synchroniz\$5) with automation) and hook\$3	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		08-03-2009
(ui or gui or graphical near interface or windows) with Automation with Synchronization	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		08-03-2009
US-7234094-B2.did.	USPT	OR	YES		08-03-2009
US-7234094-B2.did.	USPT	OR	YES		08-03-2009
(monitor\$3 or track\$3) with (queue or buffer) with notif\$5	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		08-03-2009
hook\$3 and ((monitor\$3 or track\$3) with (queue or buffer) with notif\$5)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		08-03-2009
20030191865	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		08-03-2009
7047533.pn.	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		08-03-2009
5835763.pn.	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		08-03-2009

(715/806).ccls.	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		08-03-2009
(717/127).ccls.	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		08-03-2009
(719/312 719/313 719/314 719/318 719/328 719/329).ccls.	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		08-03-2009
((719/312 719/313 719/314 719/318 719/328 719/329).ccls.) or ((717/127).ccls.) or ((715/806).ccls.)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		08-03-2009
((user near interface or gui or ui or windows) and test near automation).ab, ti.	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		08-03-2009
@ad	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		08-03-2009
(synchroniz\$5 with automation).ab, ti.	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		08-03-2009
(user near interface or gui or ui or windows) with test near automation	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		08-03-2009
((user near interface or gui or ui or windows) with test near automation) and ((synchroniz\$5 with automation).ab, ti.)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		08-03-2009
(implicit\$3 or queue or buffer or asynchronous\$2) with synchroniz\$5 with automation	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		08-03-2009
(hook\$3 or api or application near interface) with (buffer\$3 or queu\$3 or asynchronous\$3)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		08-03-2009

(buffer\$3 or queue\$3 or asynchronous\$3) with (user near interface or gui or ui or windows)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		08-03-2009
((buffer\$3 or queue\$3 or asynchronous\$3) with (user near interface or gui or ui or windows)) and ((hook\$3 or api or application near interface) with (buffer\$3 or queue\$3 or asynchronous\$3))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		08-03-2009
test near automation	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		08-03-2009
((buffer\$3 or queue\$3 or asynchronous\$3) with (user near interface or gui or ui or windows) and (hook\$3 or api or application near interface) with (buffer\$3 or queue\$3 or asynchronous\$3)) and (test near automation)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		08-03-2009
timer with (monitor\$3 or track\$3) with (buffer\$3 or queue\$3 or asynchronous\$3)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		08-03-2009
(test near automation) and (timer with (monitor\$3 or track\$3) with (buffer\$3 or queue\$3 or asynchronous\$3))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		08-03-2009
(synchroniz\$5 with automation) and (timer with (monitor\$3 or track\$3) with (buffer\$3 or queue\$3 or asynchronous\$3))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		08-03-2009
automation and (timer with (monitor\$3 or track\$3) with (buffer\$3 or queue\$3 or asynchronous\$3))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		08-03-2009
timer with (monitor\$3 or track\$3) with message near (buffer\$3 or queue\$3 or asynchronous\$3)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		08-03-2009
(user near interface or gui or ui or windows) with complet\$3	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		08-03-2009
(user near interface or gui or ui or windows) near complet\$3	PGPB, USPT, USOC, EPAB, JPAB,	OR	YES		08-03-2009

	DWPI, TDBD				
(test near automation) and ((user near interface or gui or ui or windows) near complet\$3)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		08-03-2009
((buffer\$3 or queu\$3 or asynchronous\$3) with (user near interface or gui or ui or windows)) and ((user near interface or gui or ui or windows) near complet\$3)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		08-03-2009
(monitor\$3 or track\$3) with (buffer\$3 or queu\$3 or asynchronous\$3) and ((buffer\$3 or queu\$3 or asynchronous\$3) with (user near interface or gui or ui or windows) and (user near interface or gui or ui or windows) near complet\$3)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		08-03-2009
@ad	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		08-03-2009
(monitor\$3 or track\$3) with (buffer\$3 or queu\$3) with (empty or idl\$3)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		08-03-2009
((monitor\$3 or track\$3) with (buffer\$3 or queu\$3) with (empty or idl\$3)) and hook\$3	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		08-03-2009
message near (buffer\$3 or queu\$3) with (empty or idl\$3)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		08-03-2009
(synchroniz\$5 with automation) and (message near (buffer\$3 or queu\$3) with (empty or idl\$3))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		08-03-2009
(test near automation) and (message near (buffer\$3 or queu\$3) with (empty or idl\$3))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		08-03-2009
synchroniz\$5 and (message near (buffer\$3 or queu\$3) with (empty or idl\$3))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		08-03-2009
@ad		OR	YES		08-03-2009

	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD				
(@ad	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		08-03-2009
synchroniz\$5 with thread	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		08-03-2009
(synchroniz\$5 with thread) and timer and test\$3	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		08-03-2009
@ad	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		08-03-2009
(monitor\$3 or track\$3) with (buffer\$3 or queue\$3 or asynchronous\$3) and (@ad	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		08-03-2009
implicit\$3 with synchroniz\$5	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		08-03-2009
(implicit\$3 with synchroniz\$5) and timer	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		08-03-2009
@ad	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		08-03-2009
(implicit\$3 with synchroniz\$5) and (monitor\$3 or track\$3) with (buffer\$3 or queue\$3 or asynchronous\$3)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		08-03-2009
@ad	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		08-03-2009

hook\$3 and (implicit\$3 with synchroniz\$5)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		08-03-2009
@ad	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		08-03-2009
implicit\$3 near synchroniz\$5	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		08-03-2009
((implicit\$3 near synchroniz\$5) and ((buffer\$3 or queu\$3 or asynchronous\$3) with (user near interface or gui or ui or windows))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		08-03-2009
((implicit\$3 or synchronous\$2) with message near (buffer or queue)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		08-03-2009
((implicit\$3 or synchronous\$2) with message near (buffer or queue)) and hook\$3	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		08-03-2009
((implicit\$3 or synchronous\$2) with (buffer or queue)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		08-03-2009
((implicit\$3 or synchronous\$2) with (buffer or queue)) and timer	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		08-03-2009
((implicit\$3 or synchronous\$2) with (buffer or queue) and timer) and hook\$3	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		08-03-2009
((user near interface or gui or ui) and ((implicit\$3 or synchronous\$2) with (buffer or queue) and timer and hook\$3)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		08-03-2009
@ad	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		08-03-2009

(user near interface or gui or ui) with thread	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		08-03-2009
((user near interface or gui or ui) with thread) and message near (queue or buffer or asynchronous\$2)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		08-03-2009
((user near interface or gui or ui) with thread and message near (queue or buffer or asynchronous\$2)) and (monitor\$3 or track\$3) with (buffer\$3 or queue\$3 or asynchronous\$3)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		08-03-2009
(monitor\$3 or track\$3) with (buffer\$3 or queue\$3 or asynchronous\$3) with (empty or idle)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		08-03-2009
((monitor\$3 or track\$3) with (buffer\$3 or queue\$3 or asynchronous\$3) with (empty or idle)) and (timer or hook\$3)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		08-03-2009
@ad	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		08-03-2009
(test\$3 or automation) and (@ad	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		08-03-2009
hook\$3 with (dll or dynamic\$4 near librar\$3)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		08-03-2009
(hook\$3 with (dll or dynamic\$4 near librar\$3)) and timer	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		08-03-2009
6970924.pn.	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		08-03-2009